Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S100	43875	(protect$3 pre-empt$4 preempt$4 redundan$5 alternat$3 backup standby) adj2 (path route link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:11
S101	79159	(shortest lowest smalest least optim$5) near2 (route or path or link)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/09/13 16:27
S110	6112	S100 and S101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:11
S111	8154	(protect$3 pre-empt$4 preempt$4 redundan$5 alternat$3 backup standby) adj2 (path route link) same (setup connection request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:48
S112	14963	(protect$3 pre-empt$4 preempt$4 redundan$5 alternat$3 backup standby) adj2 (path route link) same (setup connect$3 request$3 estbalish$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:12
S113	2420	S101 and S112	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/09/13 15:12
S114	40	S101 and S112 and UPSR	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/09/13 15:49
S115	178279	(protect$3 pre-empt$4 preempt$4 redundan$5 alternat$3 backup standby) with (criteria value parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:50
S116	4561	S100 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:48

S11 7	32	S116 and UPSR	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/09/13 15:51
S11 8	78307	(protect$3 pre-empt$4 preempt$4 redundan$5 alternat$3 backup standby) near5 (criteria value parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:50
S11 9	21289	(protect$3 pre-empt$4 preempt$4 redundan$5 alternat$3 backup standby) with (criteria value parameter) with (setup connect$3 request$3 estbalish$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:54
S12 0	11	S119 and UPSR	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/09/13 15:51
S12 1	44062	(protect$3 pre-empt$4 preempt$4 redundan$5 alternat$3 backup standby) with (criteria value parameter) same (setup connect$3 request$3 estbalish$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:54
S12 2	3	(protect$3 pre-empt$4 preempt$4 redundan$5 alternat$3 backup standby) with (criteria value parameter) and USPR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:55
S12 3	48	(protect$3 pre-empt$4 preempt$4 redundan$5 alternat$3 backup standby) with (criteria value parameter) and UPSR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:09
S12 4	46614	(protect$3 pre-empt$4 preempt$4 redundan$5 alternat$3 backup standby) with (criteria value parameter indicat$3) with (request$3 establish$7 setup set-up connect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:27
S12 5	302	S124 and 370/216-228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:11

S12 6	208	S124 and 370/216-228.ccls. and @ad<"20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:28
S12 7	67	S101 and S126	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/09/13 16:12
S12 8	25062	(shortest optim$5) near2 (route or path or link)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/09/13 16:27
S12 9	430	S124 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:27
S13 0	243	S129 and @ad<"20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:28
S13 1	6	S129 and @ad<"20010314" and (UPSR BLSR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:33
S13 2	252	@ad<"20010314" and (UPSR BLSR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:44
S13 3	93	@ad<"20010314" and (UPSR and BLSR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:43
S13 4	4	"6728205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:43

S13 5	126	@ad<"20010314" and UPSR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:45
S13 6	33	S135 not BLSR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:45